



For Top Fashion Designs

Functional Elastics



Elasticised Components


Buckle Elastic
Article 800



Standard colours available
- White 50
- Black 99
- Dark Brown 1265
- Beige 5142

Widths available (mm)
5 / 6 / 8 / 10 / 12 / 14
16 / 18 / 20 / 25 / 30

Anti Slip Elastic
Article 23033



Standard colours available
- White 50
- Black 99

Widths available (mm)
5 / 7

Elasticised Strapping
Article 6015



Standard colours available
- White 50
- Black 99

Widths available (mm)
5 / 6 / 7 / 8 / 10 / 12 / 14

Elastic Dorlastan Binding
Article 5050



Standard colours available
from an extensive range.
Special colours on request.

Widths available (mm)
6 / 8 / 10 / 12 / 14 / 16



Buckle Elastic
Article 800



Anti Slip Elastic
Article 23033



Elasticised Strapping
Article 6015



Elastic Binding
Article 5050

Durable strong gusset elastics

Durable and
Strong Elastic
Article 24102



Many standard colours available. Please ask for more information.
Special colours on request.

Widths available (mm)
15 / 20 / 25 / 30 / 40
50 / 60 / 70 / 80 / 100
120 / 150 / 200

Fine and Thin
Elastic
Article 26040



Many standard colours available. Please ask for more information.
Special colours on request.

Widths available (mm)
15 / 20 / 25 / 30 / 40
50 / 60 / 70 / 80 / 100
120 / 150 / 200

Special Strap
Elastic
Article 28110



Many standard colours available. Please ask for more information.
Special colours on request.

Widths available (mm)
6 / 8 / 10 / 12 / 15
20 / 25 / 30 / 40 / 50
60 / 80 / 100



Durable Strong Elastic
Article 24102



Fine Thin Elastic
Article 26040



Special Strap Elastic
Article 28110



Centre Coated Lasting Tape
Article 49113, 8 + 10 mm

Durable strong Elastics, Elasticised Components

Buckle Elastic Article 800

The ladder type buckle elastic incorporates a monofilament 'weft' running down the centre of the elastic which allows buckle prong insertion without loss of strength or material waste. The elastic shows no reduction in width when extended which is a commendable feature. This tape also has an excellent resistance to repeated extension.

Anti Slip Elastic Article 23033

This tape will prevent the heel strap from slipping down the heel, particularly when shoes are worn without stockings. This elastic tape will not narrow under tension and will always retain its full width.

Elasticised Strapping Article 6015

This article is used to produce elastic strapping on sling-backs or sandals. This product is highly stitch resistant, which is important when the elastic strapping is sewn to the upper. Because of the fine woven structure the elastic does not vary in width under tension and this in turn will put less stress on the stitching during wear.

Elastic Dorlastan Binding Article 5050

For top bindings on elastic upper materials such as Lycra or for binding on comfort shoes. This elasticised binding will produce a very elegant topline because of its thin and fine structure. This woven binding will not narrow under tension.

Standard Elastic Article 24102

Durable and strong, the industry standard.

Standard Elastic Article 26040

Fine and thin structure, elegant and classical appearance.

Special Strap Elastic Article 28110

Special strap elastic, thin and strong and more resistant against damages caused by needle stitches (please do not forget to use round point needles)

Centre Coated Lasting Tape Article 49113

This tape is used during lasting to block the elastic. Because of the centre coating the tape can be cut easily after lasting. It is also very strong with low extension which will give a uniform fit. The tape can also be applied to the elastic when used in dispensing machines.

Durable strong elastics are specially developed for being used in the shoe industry. The elastics will meet the guidelines and recommendations of leading shoe technology centres. The elastics are constantly tested in our own laboratory and meet all fitness for purpose requirements such as

- (I) limit of useful extension at least 90 %
- (II) resistance to repeated extension
- (III) seam strength
- (IV) long-lasting performance during wear
- (V) excellent abrasion properties.



Gebrüder Jaeger GmbH

Otto-Hahn-Str. 7
42369 Wuppertal
Germany
t +49 (0)202 24656-0
f +49 (0)202 24656-39
sales-germany@jaeger-ttc.com

Jaeger Italia Srl

Via Emilia Romagna n° 96/98
41049 Sassuolo (Mo)
Italia
t +39 0536 076168
f +39 0536 076167
sales-italy@jaeger-ttc.com

Jaeger Iberica S.L

Calle X S/N. Pol. Ind. El Oliveral
46190 Ribarroja de Túria, Valencia
Spanien
Tel. +34 963211082
E-Mail sales-spain@jaeger-ttc.com

Jaeger İzolasyon Bantları ve Yalıtım Elemanları Tic. Ltd. Şti.

Çınardere Mh. Gençlik Cd.
No:17/A 34896
Pendik / İstanbul, Turkey
t +90 216 598 1388
f +90 216 598 1388
sales-turkey@jaeger-ttc.com

Gebrüder Jaeger

Austria GesmbH
Gewerbestraße 300
8942 Wörschach
Austria
t +43 3682 24262
f +43 3682 28232
sales-austria@jaeger-ttc.com

Jaeger Nordic AB

Bellevuevägen 55
21619 Malmö
Sweden
t +46 40 128 707
jonas.bostrand@jaeger-nordic.se

Jaeger South Africa (Pty) Ltd

Unit 15A
Growth Point Industrial Park
1 Bell Street
Meadowdale, Eden-vale, 1614
South Africa
Tel. +27 68 569 6391
Fax + 49 202 24 656 995
sales-south-africa@jaeger-ttc.com

For your single sourcing and total quality requirements

- Super Tack Tapes/Sheets
- Functional Elastics
- Woven Reinforcements
- Local Reinforcement



Jaeger USA, Inc.

198, Pickering Road, Rochester
New Hampshire 03867
USA
t +1 603 332 5816
f +1 603 335 3608
jus@jaeger-ttc.com

Jaeger Rus Ltd.

v. Petushkova 8
105425 Moskau
Russia
t +7 495 922 8354
sales-russia@jaeger-ttc.com

Jaeger Polska sp. z o.o.

ul. Żwirowa 1
64-920 Piła, Polen
Tel. +48 67 214 11 54
Fax +48 67 214 10 89
E-Mail info-jpl@jaeger-ttc.com

Jaeger S.à.r.l.

10, rue Gutenberg
67610 La Wantzenau
France
t +33 38815 0875
f +33 38815 0895
info-france@jaeger-ttc.com

Jaeger Products PVT. LTD.

No: 60 & 61, Padavattamman
Industrial estate, Pattaravakkam
Chennai – 600098, India
t +91 44 4950 2627
baskar@jaegerindia.com